

# TambourDoor™

Commercial and GSA Price  
Book and Specification Guide

Version 6.0  
Effective January 1, 2015

Rev. 2014-10



**DATUM**®  
storage solutions



# Commercial Terms & Conditions

---

**Payment Terms:** Deposits are required for all 1st time orders and until credit has been established. Datum's standard terms are NET 30, and Datum does offer prompt pay discounts. All invoices and payments in U.S. dollars.

**Pricing:** All prices shown are F.O.B. Emigsville, PA 17318-0355 and are subject to change without notice. See separate contract for GSA pricing, terms and conditions.

**Minimum Order:** \$100 (net). Any order less than \$100 net will be subject to a \$25.00 net service charge.

**Shipping:** All orders are shipped best way, prepaid and add, unless otherwise noted. Inside delivery, liftgate, 2-man delivery and call-before delivery are available for an additional charge. Please consult factory for additional pricing information.

**Ordering Instructions:** All orders must be in writing and accompanied by a purchase order number. Quantities, part numbers, paint, and laminate colors must be clearly noted on order. All orders will be confirmed with a written acknowledgment. MobileTrak<sup>®</sup> orders must have signed layout approval for order placement.

**Changes to orders:** Once an order has entered the production schedule, any changes to that order will be subject to a 25% restocking fee and extended lead time.

**Design Service:** Datum Storage Solutions offers complete layout-planning services at \$75.00 per hour.

**Standard Paint Colors:** Products are available in 8 standard paint colors, unless otherwise noted. Other colors may be subjected to an extended lead-time; please consult factory for more information. Datum's state-of-the-art electrostatic powder coat has the capability to paint virtually any color. Minimum upcharge: \$300.00 NET. Please contact the factory for more information.

**Datum will only accept returns according to the Cancellation & Returns Policy on the following paint finishes: T15, T47 and T86.**

**Design Ownership:** All designs, plans, layouts, drawings, and specifications are the property of Datum Storage Solutions and may not be used, reproduced or distributed, in whole or part, without prior written consent.

**Freight Charges:** All shipments will be pre-pay and add unless otherwise specified. Freight charges will be added to the invoice or billed separately, depending on arrangements. Selection of the delivering carrier will be made by Datum Storage Solutions. All freight charges, except carrier's minimums, non-direct and intrastate, will be discounted. Datum Storage Solutions participates in various discount programs with carriers. Any remaining discount amounts not credited to the buyer are used to offset handling, processing, packaging, and related administrative expenses. Buyer has the option of selecting their own carrier, F.O.B. Shipping Point. If this option is selected, shipment must go Freight Collect or third party, and Datum Storage Solutions' responsibilities end when the order leaves our dock. A per-package handling charge of \$10.00 may be added for UPS and FedEx shipments. Datum Storage Solutions is not responsible for brokerage, customs, warehousing or any other fees associated with international shipments.

**Weight:** Weights shown are approximate and do not include dunnage.

**Freight Claims:** Datum takes the utmost care when packing our product to prevent shipping damage. It is your responsibility to note on the freight carrier's delivery receipt any damage incurred while in transit. All damage claims must be submitted by you with the carrier.

Concealed damage must be reported to Datum and/or the freight carrier in less than 15 days from the receipt of shipment. If concealed damage is reported in less than 15 days, the carrier and Datum will absorb two third's of the net product cost, the balance of the cost for the replacement product will be billed to the dealer under the original purchase order number. All damage claims must be submitted by you with the carrier.

All concealed damage claims reported after the 15-day time limit become the responsibility of the dealer. All concealed damage claims must be submitted by you with the carrier.

All product that is delivered to a warehouse or an installation facility must be inspected prior to delivering to end destination. If damage is reported after the product is moved, the dealer is responsible for filing the claim with the carrier. If damage is found prior to moving the product, after being signed clear, it must be reported in less than 15 days from delivery.

Concealed damage incurred by a third party carrier is not the responsibility of Datum Storage Solutions.

**Note: Crating your product may reduce damage. Datum offers crating for a charge of \$75.00 per skid. Please contact the factory for details.**

**CAUTION: When you give a delivering carrier a clear receipt for a shipment in which there is damaged merchandise or a shortage, the carrier is relieved of further responsibility. DAMAGE AND SHORTAGE CLAIMS MUST BE FILED BY YOU WITH THE DELIVERING CARRIER. Datum Storage Solutions will not accept return merchandise damaged in transit. Your claim is with the delivering carrier.**

# Commercial Terms & Conditions, Continued

---

**Cancellations & Returns:** ORDERS FOR "SPECIAL" OR "CUSTOM" ITEMS ARE NOT SUBJECT TO CHANGE OR CANCELLATION. No returned merchandise will be accepted without written consent of Datum Storage Solutions. All returned shipments are to be freight prepaid by the shipper and are subject to a handling charge of 25% plus reimbursement of all original transportation charges incurred by Datum Storage Solutions. Once production of "non-stock" items has begun, cancellation of the order is subject to Datum Storage Solutions' approval and a 25% surcharge will be assessed on all approved cancellation items. Custom colors or laminate panels are not returnable.

Return authorization must be requested within 30 days of invoicing and no product may be returned without a prior written return authorization. All returns must be made within 30 days of receiving the written return authorization and are subject to a 25% restocking charge (\$20.00 minimum) plus all incurred freight charges. All returns must be in original packaging and in resellable condition for a credit to be issued. Datum will not issue return authorizations on product that has been assembled by the dealer or the end user.

NO GOODS ACCEPTED FOR RETURN WITHOUT PRIOR APPROVAL. Seller must have the right to inspect any goods claimed to be defective at Buyer's place of business or require Buyer to return the goods to the Seller for inspection on Seller's premises. Transportation charges covering returned goods will be borne by Seller only if such goods are proven to be defective.

**Storage:** Datum does not have the facilities to store completed orders, therefore all orders must ship when completed. If a postponement of product shipment is requested by the Dealer after the ordered goods are released to manufacturing or at a time when Datum is ready to ship the ordered goods, Datum may transfer the ordered goods to storage at the Dealer's risk and expense. This transfer to storage will be considered delivery to the Dealer for all purposes including invoicing and payment.

**Replacements:** Replacement requests for damaged or missing parts must be submitted to Datum within 30 days of receipt of product. Damaged product must be signed for, damaged or refused, and reported within 30 days of receipt of product. Replacement requests made after 30 days of receipt of order will be sent out at dealer cost plus freight.

**Lifetime Warranty:\*** Datum Storage Solutions warrants to the original purchaser for the life of the product that it shall be free of any defect in materials or workmanship, so long as the original purchaser is the owner and possessor of the product and the product is installed by a Datum Certified Installer. **For a period of two years from the date of shipment, Datum Storage Solutions will provide all labor free of charge** at the location of the product to repair or replace any part that fails because of such defects. After two years from date of shipment, labor will no longer be provided. All replacements parts will be supplied for the life of the product so long as all requirements are met as set forth in this warranty. This warranty does not include defects to the product resulting from accident, misuse, improper installation or operation, normal wear, neglect, unauthorized repair or alteration. The purchase of this product shall constitute a purchaser's agreement that the sole remedy for any breach of warranty shall be such repair or replacement as expressly provided above. In no event shall Datum Storage Solutions be liable for any incidental or consequential damages arising out of the use or inability to use the product for any purpose whatsoever. Effective January 1, 2015.

**ANY PRODUCT NOT INSTALLED BY A DATUM CERTIFIED INSTALLER WILL RECEIVE A ONE-YEAR PARTS WARRANTY.**

Contact Datum Storage Solutions for a Datum Certified Installer in your area.

\*Lifetime Warranty excludes all tambour doors and all electrical components, which carry a two-year warranty.  
Excludes all sales outside of the contiguous 48 states, Canada and Mexico.

# TambourDoor™ General Information & Specifications

## GENERAL INFORMATION

**Product Description:** The Datum TambourDoor™ is designed to retrofit onto new or existing open shelf storage units to ensure the security and privacy of medical records and other types of sensitive media. Easily mounted onto most shelving units, the Datum TambourDoor™ includes a spring tensioned door which rides along a track, recessing into a top mounted housing, allowing for quick access to media. All doors include a conveniently located built-in handle for easy open/close. TambourDoor™ is available in five standard widths and able to install onto most existing shelving up to 88" high, making it an ideal HIPAA solution. Each TambourDoor™ unit includes all necessary mounting hardware and lock with two keys.

## SPECIFICATIONS

**Upright Rails:** Each upright is formed of a one piece 16 gauge cold rolled steel channel running the entire height of cabinet. Each door assembly includes one pair of rail assemblies designed to install flush to face of shelving, and are securely fastened with appropriate mounting hardware. Each Upright Rail includes a formed c-shaped molded PVC guide-channel allowing for smooth door operation. Each rail assembly includes interlocking tabs allowing for proper spacing when attached to Door Base.

**Door Base:** Formed of 18 gauge cold rolled steel into a one-inch high channel. Door Base is positioned on the floor, includes corresponding slots for proper spacing for upright rails, and pre-punched for lock mechanism.

**Door Housing:** Formed of 18 gauge cold rolled steel into a box shape and designed to fit the TambourDoor™ mechanism. Includes pre-punched holes for proper alignment and attachment onto all Datum shelving. All mounting hardware included. Door housing will add 9" to the height of shelving.

**Tambour Door:** Manufactured of plastic and extruded from high strength, wear resistant thermo plastic. All doors include factory pre-tensioned spring-loaded mechanism for proper balance and movement of door. All doors have built-in handle located approximately 32" from floor and include pincer-action lock with two keys. Locks are random keyed. Master keys are available.


**Finish:** All steel parts are thoroughly cleaned using a three-stage iron phosphate washer and then coated with an Epoxy-Hybrid powder coat finish using a state-of-the-art electrostatic paint system. Powder coating is more environmentally friendly than liquid paint and provides a durable uniform finish that is scratch and corrosion resistant.




**FOR ADDITIONAL INFORMATION ON ORDERING, TERMS AND CONDITIONS, PRICING AND SHIPPING, REFER TO TERMS SECTION.**

# How to Order


Datum TambourDoor™ Systems are designed to work in conjunction with stationary shelving only! Tambour Door Systems™ are designed for Datum's 4Post™, ThinStak® and Vu-Stak® Shelving. For any compatibility issues with other manufacturer's shelving, please consult factory before ordering.



ThinStak® TambourDoor



Vu-Stak® TambourDoor



4Post™ TambourDoor

## STEP 1

### Determine overall height and width of cabinet.


Refer to diagram for proper dimensions. The Datum TambourDoor™ mounts to the top of each shelving unit, increasing overall unit height by 10". Consult local fire code regulations when any fire sprinklers are visible. When calculating overall height, dimension to be rounded to nearest whole number where applicable. Example: 64-1/4" high to be rounded to 64" high.

## STEP 2

### Specify color.

TambourDoors™ are available in two colors only. Refer to the following chart for color specification. Choose standard paint color selection for door frame and housing. See chart below for the corresponding tambour color.

Standard Datum Paint	Charcoal Gray	Putty
T22 - Warm Brown	X	
T15 - Bone White		X
T46 - Soft White		X
T48 - Ivory		X
T45 - Dark Gray Metallic	X	
T23 - Medium Gray Metallic	X	
T34 - Light Gray Metallic	X	
T56 - Tan Metallic	X	
T25 - Black	X	
T86 - Gray Mist	X	
T47 - Light Gray	X	
T12 - Dove Gray	X	
T29 - Sage	X	
T41 - Slate Blue	X	
T42 - Tech Blue	X	
T17 - Burgundy	X	
T58 - Blue	X	
T93 - Safety Yellow	X	
T27 - Industrial Red	X	



\*Light gray TambourDoor™ also available. Contact customer service for details.



# TambourDoor™ Systems

All Datum TambourDoor™ kits will add 10" to overall height and 3-1/4" to overall depth of shelving. There is a 2" space between the edge of the shelf and the door. Overall height of doors as shown includes base and top set and/or reference shelf/spacer kit when used.

## 24" Wide Components

Item #	W	H	Est. Lbs.	List price
TD24-40	24"	40"	46	740.00
TD24-57	24"	57"	50	740.00
TD24-58	24"	58"	50	740.00
TD24-59	24"	59"	50	740.00
TD24-60	24"	60"	50	740.00
TD24-61	24"	61"	50	740.00
TD24-62	24"	62"	50	740.00
TD24-63	24"	63"	52	740.00
TD24-64	24"	64"	53	740.00
TD24-65	24"	65"	53	740.00
TD24-66	24"	66"	53	740.00
TD24-67	24"	67"	53	740.00
TD24-68	24"	68"	54	740.00
TD24-69	24"	69"	54	740.00
TD24-70	24"	70"	54	740.00
TD24-72	24"	72"	54	740.00
TD24-73	24"	73"	54	740.00
TD24-74	24"	74"	54	740.00
TD24-75	24"	75"	54	740.00
TD24-76	24"	76"	54	740.00
TD24-77	24"	77"	54	740.00
TD24-78	24"	78"	55	740.00
TD24-79	24"	79"	55	740.00
TD24-80	24"	80"	56	740.00
TD24-81	24"	81"	56	740.00
TD24-82	24"	82"	57	740.00
TD24-83	24"	83"	57	740.00
TD24-84	24"	84"	57	740.00
TD24-85	24"	85"	57	740.00
TD24-87	24"	87"	58	740.00
TD24-88	24"	88"	58	740.00

## 30" Wide Components

Item #	W	H	Est. Lbs.	List price
TD30-40	30"	40"	54	823.00
TD30-57	30"	57"	59	823.00
TD30-58	30"	58"	59	823.00
TD30-59	30"	59"	59	823.00
TD30-60	30"	60"	59	823.00
TD30-61	30"	61"	59	823.00
TD30-62	30"	62"	59	823.00
TD30-63	30"	63"	61	823.00
TD30-64	30"	64"	52	823.00
TD30-65	30"	65"	52	823.00
TD30-66	30"	66"	52	823.00
TD30-67	30"	67"	52	823.00
TD30-68	30"	68"	63	823.00
TD30-69	30"	69"	63	823.00
TD30-70	30"	70"	63	823.00
TD30-72	30"	72"	63	823.00
TD30-73	30"	73"	63	823.00
TD30-74	30"	74"	64	823.00
TD30-75	30"	75"	64	823.00
TD30-76	30"	76"	64	823.00
TD30-77	30"	77"	64	823.00
TD30-78	30"	78"	65	823.00
TD30-79	30"	79"	65	823.00
TD30-80	30"	80"	65	823.00
TD30-81	30"	81"	65	823.00
TD30-82	30"	82"	66	823.00
TD30-83	30"	83"	66	823.00
TD30-84	30"	84"	66	823.00
TD30-85	30"	85"	67	823.00
TD30-87	30"	87"	67	823.00
TD30-88	30"	88"	67	823.00

## 36" Wide Components

Item #	W	H	Est. Lbs.	List price
TD36-40	36"	40"	62	909.00
TD36-57	36"	57"	68	909.00
TD36-58	36"	58"	68	909.00
TD36-59	36"	59"	68	909.00
TD36-60	36"	60"	68	909.00
TD36-61	36"	61"	68	909.00
TD36-62	36"	62"	68	909.00
TD36-63	36"	63"	70	909.00
TD36-64	36"	64"	70	909.00
TD36-65	36"	65"	70	909.00
TD36-66	36"	66"	71	909.00
TD36-67	36"	67"	71	909.00
TD36-68	36"	68"	72	909.00
TD36-69	36"	69"	72	909.00
TD36-70	36"	70"	72	909.00
TD36-72	36"	72"	72	909.00
TD36-73	36"	73"	72	909.00
TD36-74	36"	74"	73	909.00
TD36-75	36"	75"	73	909.00
TD36-76	36"	76"	73	909.00
TD36-77	36"	77"	73	909.00
TD36-78	36"	78"	74	909.00
TD36-79	36"	79"	74	909.00
TD36-80	36"	80"	74	909.00
TD36-81	36"	81"	74	909.00
TD36-82	36"	82"	74	909.00
TD36-83	36"	83"	74	909.00
TD36-84	36"	84"	74	909.00
TD36-85	36"	85"	75	909.00
TD36-87	36"	87"	75	909.00
TD36-88	36"	88"	75	909.00

## 42" Wide Components

Item #	W	H	Est. Lbs.	List price
TD42-40	42"	40"	72	1,012.00
TD42-57	42"	57"	77	1,012.00
TD42-58	42"	58"	77	1,012.00
TD42-59	42"	59"	78	1,012.00
TD42-60	42"	60"	78	1,012.00
TD42-61	42"	61"	78	1,012.00
TD42-62	42"	62"	78	1,012.00
TD42-63	42"	63"	79	1,012.00
TD42-64	42"	64"	80	1,012.00
TD42-65	42"	65"	80	1,012.00
TD42-66	42"	66"	80	1,012.00
TD42-67	42"	67"	80	1,012.00
TD42-68	42"	68"	80	1,012.00
TD42-69	42"	69"	80	1,012.00
TD42-70	42"	70"	81	1,012.00
TD42-72	42"	72"	81	1,012.00
TD42-73	42"	73"	81	1,012.00
TD42-74	42"	74"	81	1,012.00
TD42-75	42"	75"	82	1,012.00
TD42-76	42"	76"	82	1,012.00
TD42-77	42"	77"	82	1,012.00
TD42-78	42"	78"	82	1,012.00
TD42-79	42"	79"	83	1,012.00
TD42-80	42"	80"	83	1,012.00
TD42-81	42"	81"	83	1,012.00
TD42-82	42"	82"	83	1,012.00
TD42-83	42"	83"	83	1,012.00
TD42-84	42"	84"	83	1,012.00
TD42-85	42"	85"	84	1,012.00
TD42-87	42"	87"	84	1,012.00
TD42-88	42"	88"	84	1,012.00

TEL: 800-828-8018

DATUM www.datumstorage.com • sales@datumstorage.com

Terms

EFFECTIVE JANUARY 1, 2015

Prices and specifications subject to change without notice.

Version 6.0 • Rev. 2014-10

# TambourDoor™ Systems, Continued

All Datum TambourDoor™ kits will add 10" to overall height and 3-1/4" to overall depth of shelving. There is a 2" space between the edge of the shelf and the door. Overall height of doors as shown includes base and top set and/or reference shelf/spacer kit when used.

## 48" Wide Components

Item #	W	H	Est. Lbs.	List Price
TD48-40	48"	40"	79	1,112.00
TD48-57	48"	57"	85	1,112.00
TD48-58	48"	58"	85	1,112.00
TD48-59	48"	59"	86	1,112.00
TD48-60	48"	60"	86	1,112.00
TD48-61	48"	61"	86	1,112.00
TD48-62	48"	62"	86	1,112.00
TD48-63	48"	63"	89	1,112.00
TD48-64	48"	64"	90	1,112.00
TD48-65	48"	65"	90	1,112.00
TD48-66	48"	66"	90	1,112.00
TD48-67	48"	67"	90	1,112.00
TD48-68	48"	68"	90	1,112.00
TD48-69	48"	69"	90	1,112.00
TD48-70	48"	70"	91	1,112.00
TD48-72	48"	72"	91	1,112.00
TD48-73	48"	73"	91	1,112.00
TD48-74	48"	74"	91	1,112.00
TD48-75	48"	75"	92	1,112.00
TD48-76	48"	76"	92	1,112.00
TD48-77	48"	77"	92	1,112.00
TD48-78	48"	78"	92	1,112.00
TD48-79	48"	79"	93	1,112.00
TD48-80	48"	80"	93	1,112.00
TD48-81	48"	81"	93	1,112.00
TD48-82	48"	82"	93	1,112.00
TD48-83	48"	83"	93	1,112.00
TD48-84	48"	84"	93	1,112.00
TD48-85	48"	85"	94	1,112.00
TD48-87	48"	87"	94	1,112.00
TD48-88	48"	88"	94	1,112.00

## TambourDoor™ Accessory

Item #	Description	List Price
MKTD	Master key	29.00

## Bracket for Vu-Stak® Slant Tier TambourDoor™

Item #	Description	List Price	List Price
TDSTHK	Bracket for Vu-Stak Slant Tier Tambour Door	24.00	26.00

\*Required to install TambourDoor™ to Vu-Stak® Slant Tiers.

\*Bracket DOES NOT include TambourDoor™ Components (pages 2-3) which must be purchased to create TambourDoor™ System for Vu-Stak® Slant Tiers.

\*Bracket cannot be used with any Datum shelving other than Vu-Stak® Slant Tiers.







**DATUM**<sup>®</sup>  
storage solutions

89 Church Road • P. O. Box 355  
Emigsville, PA 17318-0355  
Factory: 1-800-828-8018  
National: 1-800-FILING-1 • Fax: 1-888-FILING-1 (345-4641)  
[www.datumstorage.com](http://www.datumstorage.com) • [sales@datumstorage.com](mailto:sales@datumstorage.com)